2014 POLICE + FLEET











MEDIUM BLUE

IMPACT BLUE



























BIRCH WHITE BAGS







BRILLIANT SILVER



CHP STYLE - ORIGINAL

Vivid Black tank and

saddlebags, with Birch

White panels and fenders

CHP STYLE - NEW

Black with Birch White

line on tank and fairing, solid Birch White fenders and solid Black bags

HOUSTON STYLE panels, single black parting




Vivid Black with Birch White panels and Silver pinstripe













— (

300

275

250

— 51

— 2!

— 0

— 2

_ 5

— 7:

SAFETY IS ALL ABOUT PREPARATION. Let's shed some

ON THE ROAD AHEAD.

When we spoke with motor officers, we found enhanced visibility was a top priority. We've answered the call with two new lighting solutions. The Police Road King® model features Dual Halogen lights, giving officers brighter light and a massive 1460 lumen high beam. The 2014 Police Electra Glide® model features our all-new Daymaker™ LED headlight, with a 2X wider viewing area and greater overall brightness at 916 lumens. As an additional benefit, these LEDs also produce a higher quality light (more closely resembling daylight), to reduce eye strain.

200



2014 DUAL HALOGEN LOW BEAM BRIGHTNESS (LUX) HIGH BEAM BRIGHTNESS (LUX) 2014 LED LOW BEAM BRIGHTNESS (LUX) HIGH BEAM BRIGHTNESS (LUX) 11 lmage: Daymaker™ LED headlight

10

HERE'S A REVOLUTIONARY CONCEPT: HAND CONTROLS THAT ACTUALLY LEAVE YOU FEELING IN

We studied police needs and found perfecting the hand controls just took a little bit of basic math: add more features officers want, then subtract the effort needed to use them. We started with one-touch controls for speed capture, cruise control, push-to-talk, and more. We added digital displays for speed and gear position. Then we tweaked lighting features to give you total control. Front and rear emergency lights can now be controlled independently. "Accessory Power On" lets you run emergency lights and siren with the ignition off. And "Stealth Mode" deactivates all lights (except instruments and brakes) to give you the element of surprise.



WITH NEW FEATURES

CRUISE CONTROL

SIREN SWITCH

STEALTH SWITCH*


PUSH-TO-TALK

TRIGGER SWITCH

EMERGENCY LIGHTS

ACCESSORY POWER ON





2014 FLHP ROAD KING®

NEW LARGER

With One-Touch Design latch

loss of air pressure



NEW REFLEX™ LINKED BRAKES WITH ABS

for maximum maneuverability

Providing auto low speed cut out of linking

LONG-STEM

"TRUE IMAGE" MIRRORS

Ensure accurate



BIRCH WHITE*



CHP STYLE® - ORIGINAL*

Vivid Black tank and saddlebags, with Birch White panels and fenders



HOUSTON STYLE*

Vivid Black with Birch White panels and single Silver pinstripe



MYSTIQUE GREEN*

Two-tone with Brilliant Silver panels



VIVID BLACK*

■ LUXURY BLUE PEARL/BRILLIANT SILVER



EMERGENCY EQUIPMENT

TOUR-PAK® SYSTEM

All optional emergency equipment may be ordered through your authorized Harley-Davidson® dealer. For a complete listing, visit www.harley-davidson.com

Bright lamps feature blue, red and clear lenses and selectable flashing pattern.

Features easy plug-and-play luggage installation, with a self-contained design

draining the battery. Refer to page 26 for more information.

that lets the LEDs function without

H-D° emergency equipment ordered at time of vehicle purchase is covered under 2-year limited warranty.

16

BREAKAWAY WINDSHIELD





BIRCH WHITE*



CHP STYLE° - ORIGINAL*

Vivid Black tank and saddlebags, with Birch White panels and fenders



LUXURY BLUE PEARL*

Two-tone with Birch White panels



MYSTIQUE GREEN*

Two-tone with Brilliant Silver panels



VIVID BLACK*

◀ HOUSTON STYLE

Vivid Black with Birch White panels and single Silver pinstripe*

Models shown with optional equipment. Special aint schemes may incur additional cost. All optional quipment may be ordered through your authorized larley-Davidson® dealer. Other color combinations vailable. See paint options shown on inside back cove

For a complete list of optional equipm visit www.harley-davidson.com

Please see page 30 for full specs Please see pages 25-29 for parts & accessor



All optional emergency equipment may be ordered through your authorized Harley-Davidson® dealer. For a complete listing, visit www.harley-davidson.com.

H-D° emergency equipment ordered at time of vehicle purchase is covered under 2-year limited warranty.



SPORTSTER®

LONGER TRAVEL REAR SUSPENSION

FINAL DRIVE RATIO

acceleration

WITH UPDATED TUNING Provides greater comfort



Providing auto low speed cut out of linking

for maximum maneuverability

18-INCH FRONT AND 17-INCH **REAR WHEELS**

More confident slow speed maneuverability

*MODEL SHOWN WITH OPTIONAL EMERGENCY EQUIPMENT

XL 833L model shown in Birch White.*

ANTI-LOCK BRAKING SYSTEM TOUR-PAK® CARRIER SADDLEBAGS **EMERGENCY LAMP KIT ENGINE GUARD BARS** DETACHABLE WINDSHIP 21

2014 FLHP AND FLHTP

FIRE RESCUE

ON-DEMAND PERFORMANCE WHEN MINUTES MATTER.

For fire and rescue responders, the difference a few minutes can make in response time can have a profound impact on the lives of people. When faced with any emergency or rescue situation, you need a motorcycle you can depend upon to get you to where you need to be regardless of the location or the challenge you face. Harley-Davidson® Fire Rescue motorcycles deliver the performance and reliability you need to control any rescue situation quickly, with authority and confidence.



SPECIAL EDITIONS

As a tribute to all law enforcement officers and firefighters who unselfishly give of themselves day in and day out, Harley-Davidson is proud to offer Peace Officer and Firefighter Special Edition motorcycles for off-duty use. Made available only to active or retired law enforcement and fire officials, these specialty models feature distinctive designs and detailing that allows riders to display their civic pride, even when not in uniform.





▲ FLHTP ELECTRA GLIDE Shown in Fire Engine Red*

■ EI ND, DUVU KING

▼ FLHP ROAD KING

Shown in Fire Engine Red*

PEACE OFFICER AND FIREFIGHTER SPECIAL EDITION PREMIUM TANK MEDALLIONS





▲ FLHTK ELECTRA GLIDE ULTRA LIMITED

Shown in Vivid Black with Blue pinstripe.*

*Please see www.harley-davidson.com for color availability, complete specifications and further details on these models.

All Special Edition models available in Vivid Black, Peace Officer Dark Blue and Fire Engine Red. Two-Tone Peace Officer Light Blue/Dark Blue available for Electra Glide® Ultra Limited model only.

HARLEY-DAVIDSON'S **COMMITMENT TO YOUR** DEPARTMENT CONTINUES LONG AFTER YOUR FLEET HAS BEEN DELIVERED.

RAINING

We enhance our motorcycle support program with professional partnerships to provide outstanding operator, instructor and technician training.

NORTHWESTERN UNIVERSITY CENTER FOR PUBLIC SAFETY

For more than 20 years, the Harley-Davidson Motor Company has partnered with Northwestern University Center for Public Safety to make motor officers safer through training. We've built a nationwide program, transporting 21 training motorcycles in a custom trailer to as many as 13 locations each year. We provide the best operator training and instructors in the country, as well as an on-site technician, and a complete inventory of parts, ensuring uninterrupted training. And it's all included in student tuition.

TRAINING BROUGHT TO YOU

Motorcycle operator and instructor courses can be presented at your location, with your agency acting as host. Motorcycles are provided by Harley-Davidson with instruction provided by Northwestern University Center for Public Safety.

MOTORCYCLE MECHANIC'S INSTITUTE

We offer specialized training for technicians and officers who serve law enforcement agencies that use Harley-Davidson® Police motorcycles. Working with our own Harley-Davidson University, we provide a curriculum similar to that offered for dealership technicians. Training is conducted at the Motorcycle Mechanics Institute facilities in Orlando, Florida and Phoenix, Arizona. Five 4-day classes are held at each of the MMI facilities: Vehicle Maintenance, Chassis Set-up/ABS Service, Power Train Service, Engine Management Systems and Electrical Diagnostics.

Visit http://nucps.northwestern.edu/motorcycles for current class availability, tuition cost and to register online.

2014 MODELS ACCESSORIES

EMERGENCY RESPONSE KIT

Includes Siren Amplifier, Siren Speaker, PA Microphone and all brackets necessary for installation.

69000057

EMERGENCY STROBE HEADLIGHT 67700222

PAR-36 FRONT LED EMERGENCY LAMP

69250-04A Red/Blue LED Lamp Kit 69262-04A Red/Red LED Lamp Kit

69263-04A Blue/Blue LED Lamp Kit

POLICE TOUR-PAK® LED LIGHT WITH CLEAR LENS

69816-10 Red light w/ clear lens

69940-10 Blue light w/ clear lens

69941-10 Red/Blue light w/ clear lens

POLICE SEAT SUSPENSION KIT

HARLEY-DAVIDSON POLICE

54177-10 White, Not Drilled

54178-10 Black, Not Drilled

54179-10 White, Pre-Drilled

54180-10 Black, Pre-Drilled

TOUR-PAK SYSTEM

Retrofits '09-'12 models with the new one-piece solo coil-over shock absorber to replace the air bladder

91800040

ENGINE GUARD LED LIGHT KIT

69251-04 Red/Blue Engine Guard LED Light Kit

69264-04 Red/Red Engine Guard LED Light Kit

69265-04 Blue/Blue Engine Guard LED Light Kit

EMERGENCY EQUIPMENT



HARLEY-DAVIDSON' POLICE TOUR-PAK SYSTEM

Designed for ease of installation and service, the Harley-Davidson® Police Tour-Pak® carrier system is a "plug-andplay" option for Touring Police models. The Tour-Pak carrier system plugs into the vehicle wiring harness, eliminating the cutting and splicing required with other light boxes. The Tour-Pak carrier system features an LED brake light with integrated amber turn signals, a single center-mount key lock, dual positive-catch latches, hinged metal stays that keep the lid open and dual adjustable equipment shelves for mounting and storage of custom installed equipment.

The Tour-Pak carrier system is available pre-drilled for the side and rear LED lights (sold separately), or as a "Box only" kit. Pre-drilled versions feature a self-contained auxiliary battery which provides additional reserve capacity and is isolated from the vehicle battery when the ignition is switched off. Pre-drilled versions also include an onboard battery charger with external 110-volt power hook-up, 12-volt accessory outlet, fused terminal block, grounding block, also contains the: Run/Brake/Turn Signal Strip Light and wiring harness with watertight connectors. Auxiliary Battery P/N 65989-97C sold separately.

Fits all FLHP and FLHTP models:

54177-10 White. Not Drilled 54178-10 Black, Not Drilled 54179-10 White, Pre-Drilled

54180-10 Black, Pre-Drilled

53196-09 Tour-Pak® mounting Adaptor Plate Required for '09-later models

68000137 Tour-Pak® Wiring Harness Adaptor Kit. Required for '14 models



POLICE TOUR-PAK® LED LIGHT KIT

Equip your Police Tour-Pak® carrier system for maximum visibility. These fast-reacting bright LED lamps feature clear lenses and selectable flashing pattern. Sold individually these lamps are available in your choice of Red, Blue, and split Red/Blue LEDs.

Fits Police Tour-Pak P/N 54180-10 and 54179-10. Also fits Police Tour-Pak P/N 53631-04 and 53632-04 when all LED lights are replaced, and Wiring Harness P/N 70697-10 (1). Trim Ring P/N 72641-10 (3) and Washer P/N 6789 (6) are installed.

69816-10 Red LED **69940-10** Blue LED

69941-10 Red/Blue LED



POLICE TOUR-PAK LED BRAKE LIGHT WITH INTEGRATED AMBER TURN SIGNALS

Bright, fast-acting LED lamps grab the attention of following drivers. Clear lens lamp features LED lights with run, stop and amber turn signal function.

Stock replacement for Police Tour-Pak P/N 54177-10, 54178-10, 54180-10 and 54179-10 also fits 53631-04, 53632-04, 53634-04 and 53637-04 with separate purchase of Wire Harness Kit P/N 72640-10 if replacing brake light or P/N 70697-10 if replacing brake light and all LED lights.

69705-10

POLICE TOUR-PAK LED LIGHT TRIM RING

Add a touch of chrome to an LED light-equipped Police Tour-Pak® carrier. Chrome-plated trim rings are formed to wrap the lens and conceal the lamp base. Trim rings also permit installation of LED Light P/N 69816-10, 69940-10 and 69941-10 on older-style Police Tour-Pak P/N 53631-04 and 53632-04.

72641-10 Fits Police Tour-Pak LED Light P/N 69816-10, 69940-10 and 69941-10



EMERGENCY RESPONSE COMPONENTS

The emergency response kits include the basic accessories necessary to prepare a Police motorcycle for field duty. Kit includes siren speaker, siren amplifier, P.A. microphone, speaker bracket and amplifier bracket. 100-watt amplifier features one-button activation, two siren tones with optional air horn (air horn activation may require additional labor charges by dealership) and PA function. Siren speaker features heavy gauge polished aluminum horn. And the noise canceling PA Microphone permits the use of the siren speaker as a PA system.

COMPLETE EMERGENCY RESPONSE KIT

91453-00A Fits '13-earlier FL models

69000057 Fits '14 FL models

SIREN SPEAKER ONLY

91157-88A Speaker Assembly

91154-87 Siren Speaker Bracket Kit

SIREN AMPLIFIER ONLY

91156-93 Siren Amp

91260-93A Bracket Kit, fits '13-earlier models

69200597 Bracket Kit. fits '14 models

P.A. MICROPHONE

91448-00 PA Microphone Kit



PAR-36 FRONT LED EMERGENCY LAMP KIT

Kits include extended lens LED lamps, 4-point LED flasher module and wiring harness. Flasher module is designed to power front LED Emergency lamps and LED Engine Guard Light Kit (sold separately).

Fits all FLHP and FLHTP models:

69250-04A Red/Blue LED Lamp Kit

69262-04A Red/Red LED Lamp Kit

69263-04A Blue/Blue LED Lamp Kit

POLE STROBE LED LAMP

Telescoping pole-mounted 360-degree strobe beacon. The self-contained LED strobe lamps are available with blue or red 4-1/2" H x 5-1/2" diameter lens. Does not fit with Police Tour-Pak® carrier systems. Separate purchase of model-specific Pole Lamp Mounting Bracket is required.

BLUE STROBE

67623-88A Fits '13-earlier FL models

Fits '14 FL models

RED STROBE

67624-88A Fits '13-earlier FL models

68000136 Fits '14 FL models

POLE LIGHT BRACKET

91379-09 Fits '09-'13 models

57300036 Fits '14 models (can be used with or without Police Tour-Pak®)



EMERGENCY HEADLAMP WITH BUILT-IN STROBE

Make your motorcycle visible to oncoming traffic. Kit includes headlamp and strobe bulbs, headlamp housing, 2-point strobe power supply, and required installation hardware. Restricted part – requires written authorization from requesting agency.

90050-02A Fits '99-'13 FLHP and FLHTP models

67700222 Fits '14 FLHP and FLHTP models

STEALTH SWITCH

Disables all lights except front fender tip light and brake light. LED light on switch notifies Officer when switch is activated.

Stealth Switch will not work with the Harley-Davidson® Integrated Radar Kit (restricted part – requires written authorization from requesting agency).

Fits '07-'13 models:

91474-07A Left-Side Handlebar Mounting

91459-07A Right-Side Handlebar Mounting

HEADLIGHT ON/OFF SWITCH (Not pictured)

Fits '06-earlier FLHP and FLHTP models (restricted part - requires written authorization from requesting agency).

91270-92



MIRRORS WITH FLASHING LED POLICE **EMERGENCY LAMPS**

Smoked lenses hide bands of red or blue LED lamps that work as fast-acting auxiliary flashing emergency lights when emergency lamps are activated. The forward-facing eye-level lamps command additional attention from oncoming traffic. The wiring is concealed in the housing and stem, and is easily connected to the Original Equipment Incandescent Front Emergency Lights with no additional parts, or can be plug-andplay integrated with the PAR-36 Front LED Emergency Lamps or the Engine Guard LED Lamps using Wiring Interface Module P/N

Fits '97-'13 Police vehicles with Original Equipment Emergency Lamps or XL Police models with Emergency Lamp Kit P/N 68746-03B. Installation on models equipped with Harley-Davidson® PAR-36 Front LED Emergency Lamp Kit or Engine Guard LED

Light Kit require separate purchase of Wiring

Interface Module P/N 69200206.

56000001 Red/Blue

69200206.

56000019 Red/Red

56000020 Blue/Blue



ENGINE GUARD LED LIGHT KIT

The lamps clamp to 1-1/4" diameter tubular engine guards, and are adjustable for left-right and up-down positioning. Kits include 2 LED lamps, your choice of color (listed below) and installation hardware. These are powered by any PAR-36 Emergency Lamp Kit sold above. An LED Flasher Module (P/N 70671-04) and Wiring Harness (P/N 70673-04) are required if installing without a PAR-36 Emergency Lamp Kit. Lenses feature Bar & Shield logo lens covers.

Fits all FLHP and FLHTP models:

69251-04 Red/Blue Engine Guard LED Light Kit

69264-04 Red/Red Engine Guard LED Light Kit

69265-04 Blue/Blue Engine Guard LED Light Kit

70671-04 4-Point LED Flasher Module

70673-04 Wiring Harness

POLICE SEAT SUSPENSION KIT

Retrofits '09-'12 FL models with one-piece solo coil-over shock absorber seat suspension (replacing the air bladder).

91800040

ACCESSORIES



NEW VENTILATOR WINDSHIELD

If you ride in a warm climate, or spend time at low speeds stuck in traffic, you need to keep some air circulating around your body to stay comfortable. Ventilator Windshields feature clear injection-molded vents that allow you to adjust the air flow to match the riding conditions. Opening the vents redirects the air across your chest for a cooling effect, and closing the vents provides maximum wind and weather protection.

57400024 21" Clear



DETACHABLE COMPACT WINDSHIELD

Whether it's for keeping bugs off your face or warmth in your body, a windshield has a huge impact on a rider. By diverting air pressure past your chest and over your helmet, a windshield can add hours of riding comfort (requires separate purchase of Docking Hardware Kit P/N 58164-96A and Turn Signal Relocation Kit P/N 68603-01).

57400053 Fits '11-later XL883L Police models equipped with Emergency Lamps



REPLACEMENT WINDSCREENS

Match your windshield height to your riding preference. Replacement clear polycarbonate screens are available in tall and low-profile shapes that maximize your view and weather protection.

Fits '94-later Road King® models:

57768-00 16" Low Profile

58433-96 22" Tall Profile*

Fits '96-'13 Electra Glide® models:

57185-05 7" Deflector (smoked)

58301-96 10" Low Profile

58187-96 12" Mid Profile*

58314-97 15" Tall Profile

Fits '14 Electra Glide models:

57400229 7" Deflector (smoked)

57400225 10" Low Profile

57400228 12" Mid Profile*

57400224 15" Tall Profile

*Original Equipment police



PROTECTIVE SOFT LOWERS

Install on Engine Guard for protection against the elements. Easy installation and removal. Should not be used when air temperature is above 50 degrees.

57100210 Fits '80-later FLHP and FLHTP models equipped with Engine Guards (does not fit with Siren Speaker or Engine Guard Light Kits)





MULTI-POCKET WINDSHIELD POUCH

Add convenient storage space with easily accessible pouches mounted inside the windscreen. Hook-and-loop closures provide grab-and-go access to pens, glasses and other small items you need every day.

58904-03 Fits all Road King® models

58900-11 Fits '96-'13 Electra Glide[®] models

93300054 Fits '14 Electra Glide® models



SADDLEBAG GUARD BAG AND WATER BOTTLE HOLDER

Storage section features a convenient hookand-loop outer closure and a zippered inner closure to provide easy access to the small items you need for a day on patrol. Sling pouch holds a tight-fitting removable water bottle. Will not fit with saddlebag guard rail-mounted equipment. Left sides will not fit with siren amplifier installed.

Fits '13-earlier FLHP and FLHTP models:

91991-98 Left Side

91992-98 Right Side

Fits '14 FLHP and FLHTP models:

93300061 Left Side

91992-98 Right Side



AUXILIARY POWER PORT

Saddlebag-mounted 12-volt power port accepts most 12-volt automotive power adaptor plugs. Kit includes power port, mounting bracket, wiring harness and all mounting hardware (requires separate purchase of Harness P/N 94624-97B)

Fits all models:

69200091 Saddlebag Mount – fits all models (requires separate purchase of Harness P/N 94624-97B)

SPORTSTER



FRONT EMERGENCY LAMP KIT

Kit includes 1 red and 1 blue incandescent emergency lamp, housings, mounting brackets, switches and wiring harness

68746-03B Fits '88-later XL Police models

41000203 Fits '14 XL Police models



JIFFY STAND EXTENSION KIT

The extension is shaped to simplify locating the tab with your boot and aid in swinging the jiffy stand into position. The move feels natural, and adds confidence when parking your motorcycle in a tight spot. Kit mounts to Original Equipment jiffy stand.

50000023 Fits '91-later FLHP and FLHTP models

SHORT-STEM "TRUE IMAGE" MIRRORS

(not pictured)

These mirrors are designed to eliminate the mirror geometry that makes following objects appear further away than they really are. You get a true picture of your surroundings in tight situations.

Fits all models:

91875-82A Right

91892-82A Left



1.25 AMP BATTERY CHARGING STATION

Harley-Davidson® Battery Charger Stations are designed to fully charge lead-acid motorcycle batteries and maintain them at proper voltage. The 4-Step Supersmart Charging Process (Initialization, Bulk, Absorption, Float) helps to prevent sulfation and reduces the effects of overcharging. Status indicator lights allow you to monitor the charging state of each connected battery. The Charging Station accepts worldwide voltage 100 to 240 VAC @ 50 to 60 Hz. Maximum charge rate of 1.25 Amperes. The charger is spark-proof and reverse polarity protected, and features short-circuit protection to prevent damage from incorrect terminal connections. Kit includes quickdisconnect 7.5 Amp fused Battery Charging Harness with ring terminals and 7.5 Amp fused alligator clip charging harness for each battery output. 2-year manufacturer's warranty.

For 12-volt batteries:

99863-01B Single Station

99829-09 2-Bank Station

99847-09 4-Bank Station

ENGINE REMANUFACTURING



Keep your fleet on the road longer. When the miles start to add up, the Harley-Davidson Engine Remanufacturing Program can put the rumble back into your power plant simply, quickly and affordably. Unlike the repair shop down the street, this isn't a side job for us - our technicians live it every day, and work with the precision tools and equipment required to restore your engine to factoryfresh condition.

For more information, visit: www.h-d.com/reman

No matter what your fleet's model mix, we can make your 1340cc Evolution,° Twin Cam 88, 95, 96, or 103 equipped engine run like new again - with a fresh 12-month unlimited mileage warranty.

Fast and easy:

Working with your authorized Harley-Davidson® dealership, they will remove the engine and send it in a specialized container to be remanufactured to factory specifications by our team of trained technicians.

Factory turn-around time: lust two weeks.

Better than ever:

1999-2006 Twin Cam engines will now be upgraded with a factory-installed Screamin' Eagle® Hydraulic Cam Chain Tensioner Plate and Oil Pump Kit.

	OVERALL WIDTH (IN.)	37.8 (960mm)	37.8 (960mm)	33.3 (845mm)
	OVERALL HEIGHT (IN.)	56.3 (1,430mm)	56.3 (1,430mm)	43.9 (1,115mm)
	SEAT HEIGHT, LADEN ² (IN.)	27.3 (695mm)	27.3 (695mm)	25.5 (648mm)
	SEAT HEIGHT, UNLADEN (IN.)	31.1 (790mm)	31.1 (790mm)	27.4 (695mm)
	GROUND CLEARANCE (IN.)	5.3 (135mm)	5.3 (135mm)	3.9 (100mm)
	RAKE (STEERING HEAD) (DEG.)	26	26	31.1
	FORK ANGLE (DEG.)	29.25	29.25	29.7
	TRAIL (IN.)	6.7 (170mm)	6.7 (170mm)	5.7 (145mm)
	WHEELBASE (IM.)	64 (1,625mm)	64 (1,625mm)	59 (1,500mm)
	TIRES			
	ТУРЕ	Dunlop [®] Harley-Davidson Series, bias Blackwall front and rear	Dunlop [®] Harley-Davidson Series, bias Blackwall front and rear	Michelin° Scorcher™ "11" front and rear
	FRONT MODEL	D408F	D408F	Scorcher™ "11F"
9	FRONT SPECIFICATION	BW 130/80B17 65H	BW 130/80B17 65H	120/70 ZR-18 59W
	REAR MODEL	D407T	D407T	Scorcher™ "11"
SPECIFICATIONS	REAR SPECIFICATION	BW 180/65B16 81H	BW 180/65B16 81H	180/55 ZR-17 66W
	TENDED DESCRIPTION	Bead-retention tires designed to remain on wheel during sudden loss of pressure. Sealed, automotive-style wheel bearings requiring no end play adjustments and service interval of 100,000 miles (160,000 km)	Bead-retention tires designed to remain on wheel during sudden loss of pressure. Sealed, automotive-style wheel bearings requiring no end play adjustments and service interval of 100,000 miles (160,000 km)	N/A
	FUEL CAPACITY (GAL.)	6 (22.7L)	6 (22.7L)	4.5 (17L)
5 I	RESERVE FUEL CAPACITY, FUEL INJECTION (WARNING LIGHT) (GAL.)	1 (3.8L)	1 (3.8L)	0.9 (3.8L)
	OIL CAPACITY (W/FILTER) (QTS.)	4 (3.8L)	4 (3.8L)	2.7 (2.6L)
	TRANSMISSION CAPACITY (QTS.)	1 (1L)	1 (1L)	1 (.95L)
	PRIMARY CHAIN CASE CAPACITY (QTS.)	1.4 (1.3L)	1.4 (1.3L)	N/A
	COOLANT CAPACITY (QTS.)	N/A	N/A	N/A
	WEIGHT, AS SHIPPED (LBS.)	786 (357kg)	791 (359kg)	540 (245kg)
	WEIGHT, IN RUNNING ORDER (LBS.)	821 (372kg)	826 (375kg)	562 (255kg)
	GROSS VEHICLE WEIGHT RATING (LBS.)	1,360 (617kg)	1,360 (617kg)	1,000 (454kg)
	GROSS AXLE WEIGHT RATING, FRONT (LBS.)	500 (227kg)	500 (227kg)	339 (154kg)

2014 POLICE FLHTP

87.2 (2,215mm)

661 (300kg)

96.5 (2,450mm)

2014 POLICE FLHP

96.5 (2,450mm)

927 (420kg)

2.3 (0.064m³)

DIMENSIONS

GROSS AXLE WEIGHT RATING, REAR (LBS.)

LUGGAGE CAPACITY - VOLUME (CU FT)

LENGTH (IN.)

ENGINE			
ENGINE	Air-cooled, High Output Twin Cam 103™ with Integrated Oil Cooler	Air-cooled, High Output Twin Cam 103™ with Integrated Oil Cooler	Air-cooled, Evolution°
VALVES	Pushrod-operated, overhead valves with hydraulic, self-adjusting lifters; two valves per cylinder	Pushrod-operated, overhead valves with hydraulic, self-adjusting lifters; two valves per cylinder	Pushrod-operated, overhead valves with hydraulic, self-adjusting lifters; two-valves per cylinder
BORE (IN.)	3.87 (98.4mm)	3.87 (98.4mm)	3 (76.2mm)
STROKE (IN.)	4.374 (111.1mm)	4.374 (111.1mm)	3.812 (96.8mm)
DISPLACEMENT (CU. IN.)	103.1 (1,690сс)	103.1 (1,690сс)	53.9 (883cc)
COMPRESSION RATIO	9.7:1	9.7:1	9.0:1
FUEL SYSTEM ³	Electronic Sequential Port Fuel Injection (ESPFI)	Electronic Sequential Port Fuel Injection (ESPFI)	Electronic Sequential Port Fuel Injection (ESPFI)
AIR CLEANER	Fiberglass, washable	Fiberglass, washable	Paper Cartridge Type
LUBRICATION SYSTEM	Pressurized, dry-sump with oil cooler	Pressurized, dry-sump with oil cooler	Dry-sump

927 (420kg)

2.3 (0.064m³)



DRIVETRAIN			
PRIMARY DRIVE	Chain, 34/46 ratio	Chain, 34/46 ratio	Chain, 57/34 ratio
FINAL DRIVE	Belt, 32/68 ratio	Belt, 32/68 ratio	Belt, 68/29 ratio
CLUTCH	Cable-actuated, 9-plate, wet, with police duty spring	Hydraulically-actuated, 9-plate, wet, with police duty spring	Multi-plate, wet
TRANSMISSION	6-Speed Cruise Drive®	6-Speed Cruise Drive®	5-Speed
U.S. GEAR RATIOS (OVERALL)			
1ST	9.593	9.593	10.41
2ND	6.65	6.65	7.436
3RD	4.938	4.938	5.531
4TH	4	4	4.584
5TH	3.407	3.407	3.931
6TH	2.875	2.875	N/A
CHASSIS			
FRAME	Mild steel; tubular frame; two-piece stamped and welded backb	one; Mild steel; tubular frame; two-piece stamped and welded backbone;	Mild steel, tubular frame, circular sections, cast junctions

•			
6TH	2.875	2.875	N/A
CHASSIS			
FRAME	Mild steel; tubular frame; two-piece stamped and welded backbone; cast and forged junctions; twin downtubes; bolt-on rear frame with forged fender supports; MIG welded	Mild steel; tubular frame; two-piece stamped and welded backbone; cast and forged junctions; twin downtubes; bolt-on rear frame with forged fender supports; MIC welded	Mild steel, tubular frame, circular sections, cast junctions
SWINGARM	Mild steel, two-piece drawn and welded section, forged junctions, MIG welded	Mild steel, two-piece drawn and welded section, forged junctions, MIG welded	Mild steel, rectangular tube sections, stamped junctions, MIG welded
FRONT FORK	49mm telescopic	49mm telescopic	39mm Showa [®]
REAR SHOCKS	Air-adjustable full travel air ride rear suspension	Air-adjustable full travel air ride rear suspension	Coil-over, preload dual-adjustable
WHEELS			
OPTIONAL STYLE TYPE ⁴	N/A	N/A	N/A
FRONT TYPE ⁴	Impeller Cast Aluminum Wheels	Impeller Cast Aluminum Wheels	Black, Split 5-Spoke with Machined Rim
FRONT WIDTH (IN.)	3 (76mm)	3 (76mm)	3.5 (89mm)
FRONT HEIGHT (IN.)	17 (432mm)	17 (432mm)	18 (457mm)
REAR TYPE ⁴	Impeller Cast Aluminum Wheels	Impeller Cast Aluminum Wheels	Black, Split 5-Spoke with Machined Rim
REAR WIDTH (IN.)	5 (127mm)	5 (127mm)	4.5 (114mm)
REAR HEIGHT (IN.)	16 (406mm)	16 (406mm)	17 (432mm)
BRAKES			
CALIPER TYPE	32 mm 4-piston fixed front and rear	32mm 4-piston front and rear	Dual-piston front; single-piston rear
ROTOR TYPE	Dual floating rotors (front), fixed rotor (rear)	Dual floating rotors (front), fixed rotor (rear)	Patented, uniform expansion rotors
FRONT DIAMETER (IN.)	11.81 (300mm)	11.81 (300mm)	11.5 (292mm)
FRONT WIDTH (IN.)	0.2 (5.1mm)	0.2 (5.1mm)	0.2 (5.1mm)
DUAL FRONT	Yes	Yes	No
REAR DIAMETER (IN.)	11.81 (300mm)	11.81 (300mm)	10.2 (260mm)
REAR WIDTH (IN.)	0.28 (7.1mm)	0.28 (7.1mm)	0.28 (7.1mm)
ANTI-LOCK BRAKING SYSTEM (ABS)	Standard	Standard	Optional
SUSPENSION TRAVEL: FRONT (IN.)	4.6 (117mm)	4.6 (117mm)	4.3 (108mm)
REAR (IN.)	3 (76mm)	3 (76mm)	2.1 (54mm)

J1349	J1349	J1349
104.7 (142Nm)	104.7 (142Nm)	55 (74Nm)
3250	3250	3750
J1168	J1168	J1168
32.8	32.3	24.7
32.3	31.6	24.4
42mpg (5.6L-100km)	42mpg (5.6L-100km)	51mpg (4.6L-100km)
	104.7 (142Nm) 3250 J1168 32.8 32.3	104.7 (142Nm) 104.7 (142Nm) 3250 3250 J1168 J1168 32.8 32.3 31.6



2014 POLICE FLHTP

ELECTRIC

BATTERY	Sealed, maintenance-free, 12V, 28AHr, 405 CCA (per Battery Council International Rating)	Sealed, maintenance-free, 12V, 28AHr 405 CCA (per Battery Council International Rating)	Sealed lead acid, maintenance-free, 12V, 12AHr, 200 CCA
CHARGING	Three-phase, 50A system (585W @13V, 2000 RPM, 650W max power @13V)	Three-phase, 50A system (585W @13V, 2000 RPM, 650W max power @13V)	30A, permanent magnet, single-phase alternator with solid-state regulator (405W @3000 RPM, 405W peak)
STARTING	1.2 kW electric with solenoid shift starter motor engagement	1.2 kW electric with solenoid shift starter motor engagement	1.2 kW electric with solenoid shift starter motor engagement
LIGHTS (AS PER COUNTRY REGULATION)			
HEADLAMP	Dual halogen headlight 55W 546 lumen low beam, 65W 1,460 lumen high beam	LED 34W, 916 lumen low beam, 37W, 917 lumen high beam	Quartz halogen, 55W low beam, 60W high beam
TAIL/STOP	8W/28W	8W/28W	8W/28W
FENDER TIP LIGHTING	LED Rear	LED Front, LED Rear	N/A
TURN SIGNAL	28W self-canceling	28W self-canceling	28W self-canceling
EMERGENCY LAMPS	Front-mounted PAR-36 lamps, one red, one blue, incandescent	Front-mounted PAR-36 lamps, one red, one blue, incandescent	Optional emergency lighting kit available
FLASHERS	Four-way, integrated into turn signal switches	Independently controlled by their own switch on the right control	N/A
INDICATOR LAMPS ¹	High Beam, Turn Signals, Neutral, Low Oil Pressure, Engine Diagnostics, Low Fuel, Battery, Directional Lights, Police Emergency Light Activation	High Beam, Turn Signals, Neutral, Low Oil Pressure, Engine Diagnostics, Low Fuel, Battery, Directional Lights, Police Emergency Light Activation	High beam, neutral, low oil pressure, turn signals, engine diagnostics, low fuel warning, low battery, security system (optional)
AUXILIARY LAMPS	Optional additional emergency light kits available, including engine guard and pole mounted lights	Optional additional emergency light kits available, including engine guard and pole mounted lights	N/A
ELECTRIC POWER OUTLET	Electric power accessory connector under seat	Electric power accessory connector under seat and on the inner fairing	N/A

I LINO/ OUNTENIENDE			
GINE TRIM	Black powder-coated engine with chrome treatment covers	Black powder-coated engine with chrome treatment covers	Silver powder-coated engine with polished treatment covers
RING AND/OR WINDSHIELD	Clear, breakaway polycarbonate windshield	Fork-mounted fairing; clear, breakaway polycarbonate windshield with new slipstream vent for reduced head buffeting	Optional detachable windshield available
AT	One-piece, deluxe solo coil over shock absorber, adjustable police-type covered with breathable material	One-piece, deluxe solo coil over shock absorber, adjustable police-type covered with breathable material	Solo seat with new bucket shape and added foam for comfort
OT SUPPORTS AND CONTROLS	Pivoting footboards with non-skid rubber pads on upper surfaces	Pivoting footboards with non-skid rubber pads on upper surfaces	Mid-mount foot controls with standard pegs
DDLEBAGS	Newly redesigned law enforcement style saddlebags with One-Touch Design latch	Newly redesigned law enforcement style saddlebags with One-Touch Design latch	Optional saddlebags available
RRORS	Long-stem, "true image" mirrors	Long-stem, "true image" mirrors	Standard mirrors
STRUMENTS	New analog speedometer positioned on the handlebar with odometer, Trip A, Trip B, Clock, Gear Position Indicator, Digital Speed Display and Speed Capture; new tachometer located on the fuel tank console	New analog speedometer positioned on the fairing with odometer, Trip A, Trip B, Clock, Gear Position Indicator, Digital Speed Display and Speed Capture; tachometer, fuel gauge and voltmeter	Handlebar-mounted electronic speedometer with odometer, clock on odometer, dual resettable tripmeter
IITION	Barrel key, tank console-mounted	Barrel key, steering head-mounted	Blade key
ND CONTROLS	Emergency light and siren activation switch for 30 minutes of use with ignition OFF. Toggle functions in the odometer window: Trip A, Trip B, Gear Position Indicator, Clock, Low Fuel, Digital Speed indicator and Speed Capture. Stealth Switch, Push to Talk Police Radio Switch, Emergency Light Activation switch independently controlling front and rear emergency lighting, Independent Hazard Warning Light Switch, Cruise Control, Siren Switch	Emergency light and siren activation switch for 30 minutes of use with ignition OFF. Toggle functions in the odometer window: Trip A, Trip B, Gear Position Indicator, Clock, Low Fuel, Digital Speed indicator and Speed Capture. Stealth Switch, Push to Talk Police Radio Switch, Emergency Light Activation switch independently controlling front and rear emergency lighting, Independent Hazard Warning Light Switch, Cruise Control, Siren Switch	Standard switches
SCELLANEOUS	Sight glass on brake; master cylinders; one key fits all locks; mid-frame air deflectors, rear cylinder cutout feature provides	Sight glass on brake; master cylinders; one key fits all locks; mid-frame air deflectors, rear cylinder cutout feature provides	Easy-grip handlebar

24 months (unlimited mileage)	24 months (unlimited mileage)	24 months (unlimited mileage)
First 1,000 miles (1,600 km), every 5,000 miles (8,000 km) thereafter	First 1,000 miles (1,600 km), every 5,000 miles (8,000 km) thereafter	First 1,000 miles (1,600 km), every 5,000 miles (8,000 km) thereafter

greater rider comfort during idling situations

greater rider comfort during idling situations

SERVICE INTERVAL⁹

¹ Vehicles depicted may differ from vehicles manufactured and delivered. Specifications and prices listed may differ from specifications and 4 Standard and optional wheels may vary by country and region. prices of vehicles manufactured and delivered. All product descriptions (including depictions, specifications, dimensions, measurements, ratings and competitive comparisons) are based on available information at the time of publication. Although such descriptions are believed

6 The combined fuel economy numbers were derived using a combination of estimated city and highway values. Fuel economy estimates

correct, errors and changes can occur and complete accuracy cannot be guaranteed. Harley-Davidson may make changes at any time to prices and specifications, and may change or discontinue models, without notice and without incurring any obligation. Attention: Vehicles in the configurations shown and many of the accessories described in this catalog may not be available for sale or use in some locations. Please check with your dealer for complete product details and the latest information. All models feature 6-speed transmission (V-Rod* models and Sportster* models are 5-speed) and carbon fiber belt final drive; multi-plate clutch with diaphragm spring in oil bath; and 2-year unlimited

mileage warranty. 2 Measurement reflects 180 lb. (81.7 kg) operator weight.

³ Recommended 91 octane or higher fuel (R+M)/2.

⁵ Values shown are nominal. Performance may vary by country and region.

are derived from US EPA exhaust emission certification data on a sample motorcycle from the corresponding family under ideal laboratory conditions. Your actual fuel economy will vary depending on your personal riding habits, road and driving conditions, vehicle condition and

maintenance, tire pressure, vehicle configuration (parts and accessories), and vehicle loading (cargo, rider and passenger weight). Break-in

mileage may vary.

⁷ North America security system includes immobilizer; outside North America the security system includes immobilizer and siren. 8 See motorcycle Owner's Manual for complete details.

⁹ Inspections of certain systems and components are required at 2,500 mile (4,000 km) intervals.

See Owner's Manual for full details.