



OBI CONQUEROR CORP. USER MANUAL

GRAVELER









CONTENTS



- 2. CONTENTS
- 3. WELCOME
- 4. MY OBI CAMPER
- 5. VEHICLE IDENTIFICATION NUMBER
- 6. SPECIFICATIONS
- 8-16 SET UP
- 17-19 WARRANTY

Follow us on - Facebook



Follow us on - Instagram





WWW.OBICAMPER.COM



Congratulations on your new Camper Trailer! We are thrilled that you have chosen an OBI Camper Trailer for all your outdoor adventures! We strive to provide excellent customer service to every customer. We have created this Owner User Manual to help you navigate and learn about your new Graveler XT Camper. We encourage each customer to review this Manual as an overview before your first outdoor adventure. If you have any questions regarding your Camper that are not in this manual, the Dealership that you purchased from, should be able to answer any questions you may have. We are happy to help you with any further questions if needed.

Getting familiar with your Camper as well as following instructions, understanding all Warning Labels, will help you become an expert with understanding how your Camper functions and how to take care of your Camper for years to come! We encourage you to Scan the QR Code located at the bottom of this page OR the inside on of your camper (add location) and have a hard copy kept in your Camper as a reference guide when you are exploring the outdoors.

Here at OBI, we standardize a high standard with each Camper that is Manufactured. From the beginning of being built to the time they get delivered, ensuring that each Camper goes through a in depth inspection before they leave our facility. The Dealership that you purchased from will also perform their own inspection before you take the unit home. We encourage you to discuss with your Dealer regarding any questions you may have, getting familiar with your Graveler XT, as well as understanding the tests/ inspections your Dealer has run to ensure that your Camper is working as it should.

If for any reason you suspect that your OBI Camper is not functioning properly, please reach out to your Dealership and discuss setting up an appointment to look at your Camper. If you are traveling and you run into a problem, please contact your Dealer first before any repairs are conducted Independently, to ensure that you will be covered under your Warranty.

For any appliances/ accessories, please refer to those appliance manuals for any support and warranty assistance.

The OBI Graveler XT Camper is designed for recreational use only. We encourage you to get familiar with the warranty for your trailer to ensure that your use falls in line with the intended usage covered under warranty. Usage outside of these terms could reduce or void your warranty. You can find all warranty information in this Owner User Manual.

If you have any questions about your OBI Graveler XT Camper, we are always happy to help! You can contact us at info@obicamper.com or call us at 877-949-4226.

We wish you a fun outdoors experience with your New Camper!



MY OBI CAMPER

OWNERS NAME:
ADDRESS:
MODEL:
VIN:
BUILD DATE:
DRY WEIGHT:
TIRE SIZE:
COLD TIRE PRESSURE:
DEALERSHIP NAME:
DEALERSHIP ADDRESS:
DEALERSHIP PHONE NUMBER:





VEHICLE IDENTIFICATION NUMBER

All of our campers come with an individual vehicle identification number (VIN) Below find an example of the vin sticker for your camper. This can be found on the inner frame of the tounge on your camper.

DATE - / 2021 MANUFACTURED BY: OBI CONQUEROR CORP.

GVWR TIRES RIMS

GVWR FRONT

COLD INFLATION PRESSURE

TIRES RIMS

GAWR INTERM

COLD INFLATION PRESSURE

GAWR REAR TIRES RIMS

COLD INFLATION PRESSURE

THE VEHICLE HAS BEEN COMPLETED IN ACCORDANCE WITH THE BRICK MANUEACTURE BOUND WITH THE

THIS VEHICLE HAS BEEN COMPLETED IN ACCORDANCE WITH THE PRIOR MANUFACTURERS' IVD WHERE APPLICABLE. THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOTR VEHICLE SAFETY STANDARDS, IN EFFECT 10/2021

We recommend making a note of your VIN in the template as shown. This will be required by insurance companies



SPECIFICATIONS

WEIGHTS AND DIMENSIONS

MODEL - GRAVELER XT

COLOR - GREY

HEIGHT COLLAPSED - 4.75 FT

BOX LENGTH - 12.0 FT


OVERALL LENGTH - 18.0 FT

GROUND CLEARANCE - 2.0FT

TOUNGE WEIGHT - 308 LBS


DRY WEIGHT - 3659 LBS

GVWR - 4409 LBS



POWER

CHARGER - NOCO GENIUS GENPRO10X1 110V POWER - SHORELINE HOOKUP BATTERY - (2) 100 AH BATTERIES



NOCO GENIUS GENPRO10X1 USER GUIDE CAN BE FOUND HERE

https://no.co/media/nocodownloads/format/g/e/genius10na_user_guide_07.01.21_1.pdf

STORAGE

REAR MOUNTED SPARE
EXTERIOR LOCKING BOXES
FRONT MOUNT STORAGE BOX
31 GALLON CITY WATER TANK
11.35 GALLON FRESH WATER TANK

REAR JERRY CAN HOLDERS

INTERIOR UNDER SEATING STORAGE

AMENITIES

SPACIOUS FORWARD FOLD POP UP TENT

EXPANDABLE ANNEX TENT

(1) QUEEN BED

(1)_ FULL SIZE SLIDE OUT BED

FOLD DOWN DINING TABLE

PULL OUT KITCHEN WITH 2 BURNER STOVE

SINK WITH HOT / COLD FAUCET

SLIDE OUT REFRIGERATOR DRAWER

SHOWER SYSTEM

USER CONFIGURABLE MODULAR INTERIOR


LED INTERIOR LIGHTING

FRONT AND REAR WINCH

SEAFLO WATER PUMP


HITCHING / COUPLER

MCHITCH AUTOMATIC COUPLER






POLE DIAGRAM









2.) Unlatch the utility rack and push it up and away from the trailer, it can lock either horizontally or vertically depending what you have attached to it and how much space you have.



Remove the locking bolts



Release locking latches on the utility rack



The rack can now be locked in this down position using the pins from the locking latches



Unlock the locking pin



Push the rack upward towards the opposite side of the camper



The rack can also be locked in this vertical position as well. Which ever postion is preffered.

3.) Now undo the catch and lower the spare wheel carrier to the horizontal position.



Unlock the spare wheel carrier



Carefully lower it down making sure it clears the rear slide out of the camper



1. When you arrive to your camping location find a nice piece of flat ground and unhitch your trailer.



Step 1 - Set the handbrake



Step 3 - Remove locking pin and lift automatic locking lever on the McHitch



Step 5 - Remove all safety chains



Step 7 - Carefully pull away from the trailer with the tow vehicle until the coupler is disconected.



Step 2 -Lower the jockey wheel to take the weight of the trailer



Step 4 - Disconnect all electrical plugs



Step 6 -Chock both wheels with supplied wheel chocks



Step 8 - Lower stabilizer jacks and adjust them using the supplied jack wrench until they begin to get snug with the ground.



4. Next unwind both the forward and rear winches about 3.5-4m and attach to the anchor points



Unwind your winches



Attach hooks to the anchor points

5. Then unlatch all your catches and lift the lid by about 12 inches, this is so when you start winching the lid lifts rather than pulls straight against the hinges



Release the over-centre catches



Lift the lid around 12 inches before starting to winch

6. Using the front winch, wind until the trailer floor goes just past 90 degrees, it will then start to fall before the rear winch catches it. Once it is supported by the rear winch, use that to lower the lid down onto the front of the trailer.



Use the front winch to get the lid past 90 degrees



Then use the rear winch to safely lower the lid into position



The winch should lock into position like this

SETUP



E3 & B1-B3: A C-clip & Spigot upright pole These have either a spigot or c clip on one end and a rubber foot on the other, these are used like normal tent poles.



C2: A ridge pole
Ridge Poles: These have a hook in
one end and a flat piece on the other,
these support your annexe roof.




D1 & D3:A C-clip spreader bar Spreader Bars: These come with either c clips or flat ends and these are used between two ridge poles or tent bows to hold them in position

SET UP PRO TIP

When settling up your main tent and canvas for the first time, take your time to set up your camper trailer perfectly. Then mark your poles' height and use different color markers, tape to make the next set up process quick and easy.

SETUP







F1: A window stay Window Stays: These have

Window Stays: These have a hook in one end and spigot on the other and are used for holding the windows open.



E1: Corner Stays:

Corner Stays: These have a rubber foot and a c clip and are generally shorter than an upright


SET UP PRO TIP

When settling up your main tent and canvas for the first time, take your time to set up your camper trailer perfectly. Then mark your poles' height and use different color markers, tape to make the next set up process quick and easy.



Roof Bow







Other end of the roof bow

Tent Bow



Tent Bow Example

Now it's time to setup your tent, this stage can take as little as 10 minutes once you become well practiced, but be prepared for your first time to take a little longer

- 1. Locate your door key, and use this to open the door of the trailer, this is always the first thing you do before going into the trailer and the last thing you do before folding trailer back up when you pack up. Make sure you do this before you close up your camper otherwise the gas struts get in the way and may stop you from being able to close the door.
- 2. Climb inside and unlatch the rear slide using the locating pin inside the seating area, then get back outside and slide it into position, its best to have a friend help with this, as the locating pin needs to be reinserted once the slide is at full extension.



Use the key provided to unlock the door



The locking pin needs to be released inside before sliding the bed out



After unlatching the rear pin slide out the bed section until fully extended

3. Next, work your way around the trailer and make sure all the ansp buttons are connected so the canvas holds in place





- 4. Grab four c-clip spreader bars and two small corner stays and climb inside your trailer
- 6. If your trailer is brand new check that all bows are correctly attached to the canvas you do this by using the Velcro to hold them in place
- 6. Start by putting in two of your spreader bars between the living area bow and the center bow then climb up onto the bed
- 7. Raise the bed bow and extend out until side walls are from but not tight



Use the Velcro to attach the roof bow to the roof



Attach the longer c-clip spreader bar



Here's what it should look like with the bed (centre) bow raised

- 8. Then put in your corner stays and the other 2 spreader bars, extend the corner stays and lock in place
- 9. Work your way back extending all bows then spreader bars, but take care not to make it too tight it can open up seams and cause water to get in. Canvas shrinks as it weathers so your trailer may appear a little saggy when you first set it up but over time it will shrink and tighten up.



Pop in your corner stays at the front of the trailer



The main tent is now set and ready for sleeping in. Note that there is still a little slackness in the canvas.



SETTING UP YOUR ANNEX - The annex will take approximately 20-30 min to set up completely.

- 1. The first step is to unfold your annex canvas and lay it out on the ground, make sure its sitting the right way and you have a nice pile of all your annex walls and shower room off to one side
- 2. Now lay out all the poles we need before starting, for the Stirling we need 3 x ridgepoles, 3 x flat end spreader bars, 3 x c clip spreader bars and 2 x c clip uprights
- 3. Start off by inserting the hooked end of the ridge poles through the canvas holes putting the hook through the loop inside the tent, this is easier to do with a friend helping



Lay out your canvas



Two pairs of hands will make the job much easier



Insert the hooked end of the pole through the loops on each tent bow

- **4.** Then lower your center bow to make it easier to attach the annex, this can be done without doing this but this is much easier.
- **5.** Here's a little trick for you, instead of trying to climb up and zip the annex on, once you get the zip started use a window stay to help the zip along
- **6.** Once all your ridgepoles are in & the annex roof is attached, start at one end and put up the upright and add in the flat spreader poles, and then last of all put the canvas over the top with the upright spigot through the eyelet and use the plastic hook to secure. It's best to have your mate or partner help with this part, it's really a two-person job.



Use a window stay to help the zip along



Laying out your poles will make the job much easier



Upright pole, followed by the ridge pole, then the flat end spreader bar.

7. Once all the perimeter uprights and spreader bars are up, it's time to put in the c clip uprights and spreader bars



C-clip spreader bar keeps waterfrom pooling on the roof





ANNEX WALLS - For more privacy and weather protection the annex walls can be attached within 15 minutes.

- 1. The first step is to lay out your annex walls and make sure that the side with the PVC flap is going to be on the inside of your trailer. This will make sure the D rings are on the inside and you can stake down you walls
- 2. With the help of another person if available, start on the zippers and make sure you completly push all of the velcro together.
- 3. Stake down all of your D-rings on the perimeter of the annex.



Lay out all af your walls



A second set af hands makes the process faster and easier



Staking dawn the walls gives the structure mare strength in harsh weather canditiansm

4. If you are putting in the pvc floor this is the time to do so. Once all pieces are staked down this piece velcros in, The pvc flap keeps out water.





SUMMARY OF WARRANTY:

OBI/Conqueror Corporation warrants a limited manufactures warranty for every Camper/Caravan to the first retail consumer for a period of five (5) years from the date of purchase under normal use and service for Chassis, Drawbar and Structure when used for its intended purpose of recreational travel and camping. All parts manufactured by OBI/Conqueror Corporation have a one (1) year warranty. Zippers and mesh or screens are not covered. This warranty begins on the date the first retail consumer purchaser takes delivery. By purchasing a camper/caravan from OBI/Conqueror Corporation or its authorized dealers, you hereby agree to all terms and conditions of warranty.

Validity of claims:

- Does not cover damage due to unauthorized modifications, misuse, abuse, incorrect assembly, improper and irregular maintenance or accident.
- Warranties are not transferable. If an item is sold to a third party by the original purchaser, then all warranties become null and void, and the original purchaser shall make no claims or be eligible for any claims on behalf of the new owner.
- Any camper used for commercial purposes.
- Does not cover normal wear and usage, such as fading or discoloration of soft goods (Tent, upholstery, drapes, screens, cushions, mattresses), fading or discoloration of wood, plastic or fiberglass components, tarnishing of aluminum or stainless-steel surfaces, tears, punctures, soiling, mildew, effects of moisture condensation inside the Camper, or mishandling, neglect, abuse, misuse, lightning or other acts of nature, or corrosive atmospheres which can result in rusting, oxidation or pitting.
- Minor imperfections, which do not affect the suitability of the Camper/Caravan for its intended use.
- Normal and routine maintenance such as inspections, lubricating, adjustments, tightening of screws, tightening of lug nuts, scaling, cleaning, or damages arising from the failure to have maintenance performed or improper storage as outlined in the owner's manual and/or the component manuals.
- Wheel alignment or adjustments when caused by improper maintenance, loading or damage from road hazards, including off road travel, wheel damage or balancing, or damage resulting from tire failures.
- Costs incurred for onsite service, transportation of the Camper/Caravan to a dealer or costs incurred as the result of the consumer's request to have repairs performed at a location other than an authorized dealership.
- Does not cover impact or damage to body or chassis. Soiling of fabrics and internal fitments from dust and other airborne substances. Water damage due to water crossings, movement or damage caused by dislodgement of appliances and fittings resulting from hard impact or heavy landings or severely rutted roads or tracks. General damage from misuse, rust, wheels and tires, paint and general consumables (bearings, light bulbs etc.) Damage due to condensation, normal wear and tear, exposure to elements, wear and tear when a camper/caravan has been used for commercial, rental, business or permanent living purposes. The Camper is designed only for its intended purpose of recreational camping and personal use. OBI/Conqueror Corporation does not warranty Campers/Carvans used for commercial, rental, business or permanent living purposes.

WARRANTY



• Tents are guaranteed to be in new merchantable condition at the time of purchase. A limited manufacturer's warranty period of one (1 year) applies to Canvas. General wear and tear excepted. Zippers and mesh or screens are not covered. Poles and fittings are not covered.

OBI/CONQUEROR CORPORATION'S RESPONSIBILITY:

Any part of the vehicle subject to warranty, which is found to be defective in material or workmanship, will be repaired or replaced at OBI/Conqueror Corporation option without charge to the customer for parts or labor.

HOW TO OBTAIN WARRANTY SERVICE:

In the event that a substantial defect in materials or workmanship is found to exist in parts warranted by OBI/Conqueror Corporation, OBI/Conqueror Corporation will bear the cost of the repair or replacement of such defective materials or workmanship, provided that the owner: (A) Notifies Dealer that unit was purchased from of the defect in a timely manner, (If you are traveling or have recently moved, contact the Dealer that unit was purchased from. (B) Follows instructions from OBI/Conqueror Corporation on how to get approved repairs. (OBI/Conqueror Corporation will determine if there is an authorized service center within reasonable distance of the owner. If there is not an authorized service center near the owner, the owner will be required to get two written estimates, from any local RV dealer or RV service station, for the required repairs.) (C) Schedules an appointment and promptly takes the Camper to the authorized service center for necessary repairs. (D) Pays any freight or transportation costs, or import duties or fees involved. No action to enforce this warranty shall be commenced after expiration of the warranty period. If the above steps have been taken and the repairs still have not been made, the customer should contact OBI/Conqueror Corporation.

PURCHASER'S OBLIGATIONS:

Purchaser shall notify Dealer that unit was purchased from and deliver this camper for warranty service within a reasonable time after discovery of the defect, before the expiration of the warranty period. All incidental and consequential expenses incurred by Purchaser in obtaining warranty service shall be borne by Purchaser. No action to enforce this warranty shall be commenced after expiration of the warranty period.

CARE AND MAINTAINANCE:

It is the Purchaser's responsibility to perform the care, maintenance and assure correct load distribution as outlined in the OBI/Conqueror Owner's Manual. Other, separate manuals outline additional component care and maintenance. Please review all manuals supplied with your unit and if necessary, contact the Dealer you purchased your camper from if you have questions. Any damage to the Camper/Caravan as a result of the Purchaser's failure to perform such care, is not covered by OBI/Conqueror Corporation.

PARTS AND DESIGN CHANGES:

OBI/Conqueror Corporation may make parts and design changes from time to time without notice and repair and replacements may be made with new or different parts. OBI/Conqueror Corporation reserves the right to make changes in the design or material or its products without incurring any obligation to incorporate such changes in any product previously manufactured.





OBICAMPER.COM

DISCLAMIER:

Please be advised that due to global shortages, some components/products (such as a refrigerator/freezer) may not be equipped in your camper/caravan. OBI/Conqueror is not responsible for providing a refrigerator/freezer in your camper/caravan if it was not included at the time of purchase from Dealer.

DISCLAIMER OF CONSEQUENTIAL AND INCIDENTAL DAMAGES:

You and any other user of OBI/Conqueror Corporation products shall not be entitled to any consequential or incidental damages, including without limitation, loss of use of the unit, inconvenience, lodging, damage to personal property, alternate transportation, phone calls, meals, lost income or earnings.

DISCLAIMER OF CONSEQUENTIAL & INCIDENTAL DAMAGES:

The original consumer purchaser of this camping trailer and any person to whom this unit is transferred, and any person who is an intended or unintended user or beneficiary of this unit, shall not be entitled to recover from OBI/Conqueror Corporation or any consequential or incidental damages.

OWNER ASSISTANCE:

Your continued confidence and goodwill are important to us at OBI/Conqueror Corporation as is maintaining a good relationship with our dealers. OBI/Conqueror Corporation recognizes that there may be occasions when a warranty or service problem is not handled to your satisfaction. We encourage you to attempt to rectify the situation by discussing the situation with your local dealership management; if after this your problem is not resolved to your satisfaction, we welcome you to contact us at the below address. We will provide our recommendations for an agreeable solution to our authorized dealers.

THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS AND YOU MAY ALSO HAVE OTHER RIGHTS, WHICH VARY FROM STATE TO STATE.

LODGING A CLAIM:

All warranty claims can be lodged by contacting your dealership. If you have any further questions relating to warranties, or are unsure about any aspect of this section, then please contact us at:

Phone: 877-949-4226

Email: warranty@obicamper.com

Address: 2340 W. Broadway Rd STE 104 Mesa, AZ 85202